

Product	SINOPEC JUSTAR SL 20W-50 Engine Oil
Summary	Product description SINOPEC JUSTAR SL 20W-50 Engine Oil is formulated with synthetic technology base oils and high-quality additives. It provides effective protection for many petrol passenger cars and light vehicles operating under normal or elevated working temperature or load, with excellent oxidation and wear protection.

Available sizes



BOTTLE – 1L/4L

Applications

- Suitable for high-performance petrol passenger cars or SUV, MPV and other light duty vehicles.

Technical Features:

- Strong oil film and power output;
- Good wear protection and long engine life;
- Lasting cleaning protection of engine parts.

Typical data

SINOPEC JUSTAR SL 20W-50 Engine Oil		
Properties	Method	Results
Kinematic viscosity@40°C, mm ² /s	ASTM D445	173.4
Kinematic viscosity@100°C, mm ² /s	ASTM D445	19.60
Viscosity Index	ASTM D2270	130
Low Temperature Pumpability(MRV) @-20°C, mPa.s	ASTM D4684	19400
Pour point, °C	ASTM D97	-21
Flash point (COC), °C	ASTM D92	233
Density @ 15°C, kg/l	ASTM D4052	0.86

These data are given as an indication of typical values, not exact specifications.

Product Data Sheet

Industry and OEM specifications

SINOPEC JUSTAR SL 20W-50 Engine Oil meets the performance requirements of the following industry specifications:

API Service Classification	Petrol/Gasoline: SL
----------------------------	---------------------

Accuracy of information

Data provided in this PDS is typical and subject to change as a result of continuing product research and development. The information given was correct at the time of printing. The typical values given are subject to variations in the testing procedures and the manufacturing process may also result in slight variations. Sinopec guarantees that its lubricants meet any industry and OEM specifications referred to on this data sheet.

Sinopec cannot be held responsible for any deterioration in the product due to incorrect storage or handling. Information on best practice is available from your local distributor.

Health, Safety & Environment

- This product is unlikely to cause any significant health problems when used in the applications suggested and when the guidance provided in the Safety Data Sheet (SDS) is followed. Please consult the SDS for more detailed advice on handling; SDSs are available from your local distributor. Do not use the product in applications other than those suggested.
- Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.
- As with all products, please take care to avoid environmental contamination when disposing of this product. Used oil should be sent for reclamation/recycling or, if not possible, must be disposed of according to relevant government/authority regulations.

The SINOPEC trademark is registered and protected.

Issued: March 2023

© Sinopec 2023

SINOPEC JUSTAR SL 20W-50 Engine Oil

SINOPEC

Premium Lubricants



PT. MASA JAYA PERKASA

M info@masajayaperkasa.com

**Jl. Hayam Wuruk No. 76,
Jakarta Barat, DKI Jakarta 11160**

(+62)21-649-6496

(+62)852-1116-7713