


Product	<b>Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil</b>
Summary	<b>Product description</b> Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil is composed of refined mineral oil and anti rust additives, suitable for silicon steel sheets lubrication and anti rust.

Available sizes



DRUM – 200L



## Applications

Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil is suitable for use in:

- Lubrication in the processing of silicon steel sheets.
- Rust proof of iron core after assembly.

## Features and benefits

- Good anti rust property.
- Good lubrication performance.
- Free cleaning, direct assembly.

# Product Data Sheet

## Typical data

Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil	
Appearance	Brown transparent liquid
Kinematic viscosity, cSt @ 40℃, ASTM D 445	11.11
Flash point (COC), ℃, ASTM D 92	156
Humidity cabinet rust (45#Steel sheet, 49±1℃, A grade), hours	120
Corrosion test (100℃, 3h) T3 Copper sheet 45# Steel sheet	Pass Pass

These data are given as an indication of typical values and not as exact specifications.

## Industry and OEM specifications

Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil meets the performance requirements of the following industry specifications:	
Sinopec	Q / SH303 486 --2009

## Notices

Avoid to be mixed with water or impurities.

## Packaging \storage and transportation

- 20L plastic drum, 200L iron drum.
- Product logo packaging, transportation, storage, delivery and acceptance complies with SH/T 0164.

## Accuracy of information

Data provided in this PDS is typical and subject to change as a result of continuing product research and development. The information given was correct at the time of printing. The typical values given are subject to variations in the testing procedures and the manufacturing process may also result in slight variations. Sinopec guarantees that its lubricants meet any industry and OEM specifications referred to on this data sheet.

Sinopec cannot be held responsible for any deterioration in the product due to incorrect storage or handling. Information on best practice is available from your local distributor.

## Product and environmental safety

This product should not cause any health problems when used in the applications suggested and when the guidance provided in the Material Safety Data Sheet (MSDS) is followed. Please consult the MSDS for more detailed advice on handling; MSDSs are available from your local distributor. Do not use the product in applications other than those suggested.

As with all products, please take care to avoid environmental contamination when disposing of this product. Used oil should be sent for reclamation/recycling or, if not possible, must be disposed of according to relevant government/authority regulations.

The SINOPEC trademark is registered and protected.

Issued: March 2017

© Sinopec 2017

Sinopec R5316B Silicon Steel Iron-core Lubricating Rust Preventive Oil

# SINOPEC

Premium Lubricants



**PT. MASA JAYA PERKASA**

**M** [info@masajayaperkasa.com](mailto:info@masajayaperkasa.com)

**Jl. Hayam Wuruk No. 76,  
Jakarta Barat, DKI Jakarta 11160**

**(+62)21-649-6496**

**(+62)852-1116-7713**